

ONLY ORIGINAL WITH THE DIAMOND



PUMP TECHNOLOGY

Pricelist high efficiency pumps





Pricelist high efficiency pumps

WITA go.future 2 – 40 LED

Technical data see Product brochure high efficiency pumps [page 8](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	016001	189,00
40-20	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	016002	189,00
40-25	GG	180	25	G 1 ½"	4	230V AC/50 Hz	016003	189,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	016004	189,00
40-20 S	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	016005	189,00
40-25 S	GG	130	25	G 1 ½"	4	230V AC/50 Hz	016006	189,00
40-20 SB 110	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	016007	220,00
40-25 SB 110	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	016008	220,00
40-20 SB 130	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	016009	220,00
40-25 SB 130	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	016010	220,00

WITA go.future 2 – 40 LED PWM

Technical data see Product brochure high efficiency pumps [page 8](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	016101	244,00
40-20 PWM	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	016102	244,00
40-25 PWM	GG	180	25	G 1 ½"	4	230V AC/50 Hz	016103	244,00
40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	016104	244,00
40-20 S PWM	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	016105	244,00
40-25 S PWM	GG	130	25	G 1 ½"	4	230V AC/50 Hz	016106	244,00
40-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	016107	275,00
40-25 SB 110 PWM	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	016108	275,00
40-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	016109	275,00
40-25 SB 130 PWM	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	016110	275,00

WITA go.future 2 – 60 LED

Technical data see Product brochure high efficiency pumps [page 8](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	016011	189,00
60-20	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	016012	189,00
60-25	GG	180	25	G 1 ½"	6	230V AC/50 Hz	016013	189,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	016014	189,00
60-20 S	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	016015	189,00
60-25 S	GG	130	25	G 1 ½"	6	230V AC/50 Hz	016016	189,00
60-20 SB 110	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	016017	220,00
60-25 SB 110	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	016018	220,00
60-20 SB 130	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	016019	220,00
60-25 SB 130	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	016020	220,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA go.future 2 – 60 LED PWM



Technical data see Product brochure high efficiency pumps page 8

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	016111	244,00
60-20 PWM	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	016112	244,00
60-25 PWM	GG	180	25	G 1 ½"	6	230V AC/50 Hz	016113	244,00
60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	016114	244,00
60-20 S PWM	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	016115	244,00
60-25 S PWM	GG	130	25	G 1 ½"	6	230V AC/50 Hz	016116	244,00
60-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	016117	275,00
60-25 SB 110 PWM	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	016118	275,00
60-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	016119	275,00
60-25 SB 130 PWM	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	016120	275,00

WITA go.future 2 – 40 LCD



Technical data see Product brochure high efficiency pumps page 9

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	016021	196,00
40-20	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	016022	196,00
40-25	GG	180	25	G 1 ½"	4	230V AC/50 Hz	016023	196,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	016024	196,00
40-20 S	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	016025	196,00
40-25 S	GG	130	25	G 1 ½"	4	230V AC/50 Hz	016026	196,00
40-20 SB 110	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	016027	227,00
40-25 SB 110	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	016028	227,00
40-20 SB 130	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	016029	227,00
40-25 SB 130	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	016030	227,00

WITA go.future 2 – 40 LCD PWM



Technical data see Product brochure high efficiency pumps page 9

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	016121	251,00
40-20 PWM	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	016122	251,00
40-25 PWM	GG	180	25	G 1 ½"	4	230V AC/50 Hz	016123	251,00
40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	016124	251,00
40-20 S PWM	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	016125	251,00
40-25 S PWM	GG	130	25	G 1 ½"	4	230V AC/50 Hz	016126	251,00
40-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	016127	282,00
40-25 SB 110 PWM	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	016128	282,00
40-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	016129	282,00
40-25 SB 130 PWM	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	016130	282,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA go.future 2 – 60 LCD

Technical data see Product brochure high efficiency pumps page 9



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	016031	196,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	016032	196,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	016033	196,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	016034	196,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	016035	196,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	016036	196,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	016037	227,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	016038	227,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	016039	227,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	016040	227,00

WITA go.future 2 – 60 LCD PWM

Technical data see Product brochure high efficiency pumps page 9



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	016131	251,00
60-20 PWM	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	016132	251,00
60-25 PWM	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	016133	251,00
60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	016134	251,00
60-20 S PWM	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	016135	251,00
60-25 S PWM	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	016136	251,00
60-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	016137	282,00
60-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	016138	282,00
60-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	016139	282,00
60-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	016140	282,00

WITA go.future 2 – light 40

Technical data see Product brochure high efficiency pumps page 10



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	016041	178,00
light 40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	016042	178,00
light 40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	016043	178,00
light 40-32	GG	180	32	G 2"	4	230V AC/50 Hz	016044	178,00
light 40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	016045	178,00
light 40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	016046	178,00
light 40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	016047	209,00
light 40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	016048	209,00
light 40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	016049	209,00
light 40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	016050	209,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA go.future 2 – *light* 40 PWM

Technical data see Product brochure high efficiency pumps page 10



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	016141	233,00
light 40-20 PWM	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	016142	233,00
light 40-25 PWM	GG	180	25	G 1 ½"	4	230V AC/50 Hz	016143	233,00
light 40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	016144	233,00
light 40-20 S PWM	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	016145	233,00
light 40-25 S PWM	GG	130	25	G 1 ½"	4	230V AC/50 Hz	016146	233,00
light 40-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	016147	264,00
light 40-25 SB 110 PWM	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	016148	264,00
light 40-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	016149	264,00
light 40-25 SB 130 PWM	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	016150	264,00

WITA go.future 2 – *light* 60

Technical data see Product brochure high efficiency pumps page 10



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	016051	178,00
light 60-20	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	016052	178,00
light 60-25	GG	180	25	G 1 ½"	6	230V AC/50 Hz	016053	178,00
light 60-32	GG	180	32	G 2"	6	230V AC/50 Hz	016054	178,00
light 60-20 S	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	016055	178,00
light 60-25 S	GG	130	25	G 1 ½"	6	230V AC/50 Hz	016056	178,00
light 60-20 SB 110	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	016057	209,00
light 60-25 SB 110	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	016058	209,00
light 60-20 SB 130	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	016059	209,00
light 60-25 SB 130	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	016060	209,00

WITA go.future 2 – *light* 60 PWM

Technical data see Product brochure high efficiency pumps page 10



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	016151	233,00
light 60-20 PWM	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	016152	233,00
light 60-25 PWM	GG	180	25	G 1 ½"	6	230V AC/50 Hz	016153	233,00
light 60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	016154	233,00
light 60-20 S PWM	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	016155	233,00
light 60-25 S PWM	GG	130	25	G 1 ½"	6	230V AC/50 Hz	016156	233,00
light 60-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	016157	264,00
light 60-25 SB 110 PWM	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	016158	264,00
light 60-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	016159	264,00
light 60-25 SB 130 PWM	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	016160	264,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA go.future 40 LED



Technical data see Product brochure high efficiency pumps [page 11](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	014183	190,00
40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	014182	185,00
40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	014180	185,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	014181	187,00
40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	014184	190,00
40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	014185	190,00
40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	014186	216,00
40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	014187	216,00
40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	014188	216,00
40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	014189	216,00

WITA go.future 60 LED



Technical data see Product brochure high efficiency pumps [page 11](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	014193	192,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	014192	187,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	014190	187,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	014191	189,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	014194	192,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	014195	192,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	014196	216,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	014197	216,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	014198	216,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	014199	216,00

WITA go.future 40 LCD



Technical data see Product brochure high efficiency pumps [page 12](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	014400	196,00
40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	014401	191,00
40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	014402	191,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	014403	193,00
40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	014404	197,00
40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	014405	197,00
40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	014406	222,00
40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	014407	222,00
40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	014408	222,00
40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	014409	222,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA go.future 60 LCD

Technical data see Product brochure high efficiency pumps [page 12](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	014690	199,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	014691	193,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	014692	193,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	014693	196,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	014694	199,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	014695	199,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	014696	222,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	014697	222,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	014698	222,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	014699	222,00

WITA go.future *light* 40

Technical data see Product brochure high efficiency pumps [page 13](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	014133	178,00
light 40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	014132	173,00
light 40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	014130	173,00
light 40-32	GG	180	32	G 2"	4	230V AC/50 Hz	014131	176,00
light 40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	014134	179,00
light 40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	014135	179,00
light 40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	014136	204,00
light 40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	014137	204,00
light 40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	014138	204,00
light 40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	014139	204,00

WITA go.future *light* 60

Technical data see Product brochure high efficiency pumps [page 13](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	014143	181,00
light 60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	014142	176,00
light 60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	014140	176,00
light 60-32	GG	180	32	G 2"	6	230V AC/50 Hz	014141	178,00
light 60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	014144	181,00
light 60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	014145	181,00
light 60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	014146	207,00
light 60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	014147	207,00
light 60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	014148	207,00
light 60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	014149	207,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta HE 35 LED



Technical data see Product brochure high efficiency pumps [page 14](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
35-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	015183	180,00
35-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	015182	175,00
35-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	015180	175,00
35-32	GG	180	32	G 2"	4	230V AC/50 Hz	015181	177,00
35-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	015184	180,00
35-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	015185	180,00
35-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	015186	205,00
35-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	015187	205,00
35-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	015188	205,00
35-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	015189	205,00

WITA Delta HE 55 LED



Technical data see Product brochure high efficiency pumps [page 14](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
55-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	015193	182,00
55-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	015192	177,00
55-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	015190	177,00
55-32	GG	180	32	G 2"	6	230V AC/50 Hz	015191	179,00
55-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	015194	182,00
55-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	015195	182,00
55-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	015196	205,00
55-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	015197	205,00
55-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	015198	205,00
55-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	015199	205,00

WITA Delta HE 35 LCD



Technical data see Product brochure high efficiency pumps [page 15](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
35-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	014160	186,00
35-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	014161	181,00
35-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	014162	181,00
35-32	GG	180	32	G 2"	4	230V AC/50 Hz	014163	183,00
35-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	014164	187,00
35-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	014165	187,00
35-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	014166	212,00
35-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	014167	212,00
35-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	014168	212,00
35-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	014169	212,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA Delta HE 55 LCD



Technical data see Product brochure high efficiency pumps [page 15](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
55-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	014170	189,00
55-20	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	014171	183,00
55-25	GG	180	25	G 1 ½"	6	230V AC/50 Hz	014172	183,00
55-32	GG	180	32	G 2"	6	230V AC/50 Hz	014173	186,00
55-20 S	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	014174	189,00
55-25 S	GG	130	25	G 1 ½"	6	230V AC/50 Hz	014175	189,00
55-20 SB 110	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	014176	212,00
55-25 SB 110	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	014177	212,00
55-20 SB 130	CuZn	130	20	G ¼"	6	230V AC/50 Hz	014178	212,00
55-25 SB 130	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	014179	212,00

WITA Delta HE *light* 35



Technical data see Product brochure high efficiency pumps [page 16](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 35-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	015133	168,00
light 35-20	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	015132	163,00
light 35-25	GG	180	25	G 1 ½"	4	230V AC/50 Hz	015130	163,00
light 35-32	GG	180	32	G 2"	4	230V AC/50 Hz	015131	166,00
light 35-20 S	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	015134	169,00
light 35-25 S	GG	130	25	G 1 ½"	4	230V AC/50 Hz	015135	169,00
light 35-20 SB 110	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	015136	194,00
light 35-25 SB 110	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	015137	194,00
light 35-20 SB 130	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	015138	194,00
light 35-25 SB 130	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	015139	194,00

WITA Delta HE *light* 55



Technical data see Product brochure high efficiency pumps [page 16](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 55-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	015143	171,00
light 55-20	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	015142	166,00
light 55-25	GG	180	25	G 1 ½"	6	230V AC/50 Hz	015140	166,00
light 55-32	GG	180	32	G 2"	6	230V AC/50 Hz	015141	168,00
light 55-20 S	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	015144	171,00
light 55-25 S	GG	130	25	G 1 ½"	6	230V AC/50 Hz	015145	171,00
light 55-20 SB 110	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	015146	197,00
light 55-25 SB 110	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	015147	197,00
light 55-20 SB 130	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	015148	197,00
light 55-25 SB 130	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	015149	197,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta TOP 40



Technical data see Product brochure high efficiency pumps [page 17](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	014213	191,00
40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	014212	186,00
40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	014210	186,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	014211	188,00
40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	014214	190,00
40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	014215	190,00
40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	014216	217,00
40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	014217	217,00
40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	014218	217,00
40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	014219	217,00

WITA Delta TOP 40 PWM



Technical data see Product brochure high efficiency pumps [page 17](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	014223	248,00
40-20 PWM	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	014222	241,00
40-25 PWM	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	014220	241,00
40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	014221	243,00
40-20 S PWM	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	014224	247,00
40-25 S PWM	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	014225	247,00
40-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	014226	272,00
40-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	014227	272,00
40-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	014228	272,00
40-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	014229	272,00

WITA Delta TOP 60



Technical data see Product brochure high efficiency pumps [page 17](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	014233	193,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	014232	188,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	014230	188,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	014231	190,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	014234	194,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	014235	194,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	014226	219,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	014227	219,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	014228	219,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	014229	219,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA Delta TOP 60 PWM



Technical data see Product brochure high efficiency pumps page 17

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	014243	250,00
60-20 PWM	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	014242	243,00
60-25 PWM	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	014240	243,00
60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	014241	245,00
60-20 S PWM	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	014244	249,00
60-25 S PWM	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	014245	249,00
60-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	014246	274,00
60-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	014247	274,00
60-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	014248	274,00
60-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	014249	274,00

WITA Delta MIDI 40



Technical data see Product brochure high efficiency pumps page 18

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	015603	174,00
40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	015602	169,00
40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	015600	169,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	015601	171,00
40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	015604	173,00
40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	015605	173,00
40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	015606	200,00
40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	015607	200,00
40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	015608	200,00
40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	015609	200,00

WITA Delta MIDI 40 PWM



Technical data see Product brochure high efficiency pumps page 18

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	015703	231,00
40-20 PWM	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	015702	224,00
40-25 PWM	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	015700	224,00
40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	015701	226,00
40-20 S PWM	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	015704	230,00
40-25 S PWM	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	015705	230,00
40-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	015706	255,00
40-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	015707	255,00
40-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	015708	255,00
40-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	015709	255,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta MIDI 60

Technical data see Product brochure high efficiency pumps [page 18](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	015613	176,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	015612	171,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	015610	171,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	015611	173,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	015614	177,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	015615	177,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	015616	202,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	015617	202,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	015618	202,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	015619	202,00

WITA Delta MIDI 60 PWM

Technical data see Product brochure high efficiency pumps [page 18](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	015713	233,00
60-20 PWM	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	015712	226,00
60-25 PWM	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	015710	226,00
60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	015711	229,00
60-20 S PWM	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	015714	232,00
60-25 S PWM	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	015715	232,00
60-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	015716	257,00
60-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	015717	257,00
60-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	015718	257,00
60-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	015719	257,00

WITA Delta UP 70

Technical data see Product brochure high efficiency pumps [page 19](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
70-15 S	GG	130	15	G 1"	7	230V AC/50 Hz	015623	173,00
70-20	GG	180	20	G 1 1/4"	7	230V AC/50 Hz	015622	168,00
70-25	GG	180	25	G 1 1/2"	7	230V AC/50 Hz	015620	168,00
70-32	GG	180	32	G 2"	7	230V AC/50 Hz	015621	170,00
70-20 S	GG	130	20	G 1 1/4"	7	230V AC/50 Hz	015624	173,00
70-25 S	GG	130	25	G 1 1/2"	7	230V AC/50 Hz	015625	173,00
70-20 SB 110	CuZn	110	20	G 1 1/4"	7	230V AC/50 Hz	015626	200,00
70-25 SB 110	CuZn	110	25	G 1 1/2"	7	230V AC/50 Hz	015627	200,00
70-20 SB 130	CuZn	130	20	G 1 1/4"	7	230V AC/50 Hz	015628	200,00
70-25 SB 130	CuZn	130	25	G 1 1/2"	7	230V AC/50 Hz	015629	200,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA Delta UP 70 PWM



Technical data see Product brochure high efficiency pumps page 19

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
70-15 S PWM	GG	130	15	G 1"	7	230V AC/50 Hz	015823	230,00
70-20 PWM	GG	180	20	G 1 ¼"	7	230V AC/50 Hz	015822	223,00
70-25 PWM	GG	180	25	G 1 ½"	7	230V AC/50 Hz	015820	223,00
70-32 PWM	GG	180	32	G 2"	7	230V AC/50 Hz	015821	225,00
70-20 S PWM	GG	130	20	G 1 ¼"	7	230V AC/50 Hz	015824	229,00
70-25 S PWM	GG	130	25	G 1 ½"	7	230V AC/50 Hz	015825	229,00
70-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	7	230V AC/50 Hz	015826	255,00
70-25 SB 110 PWM	CuZn	110	25	G 1 ½"	7	230V AC/50 Hz	015827	255,00
70-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	7	230V AC/50 Hz	015828	255,00
70-25 SB 130 PWM	CuZn	130	25	G 1 ½"	7	230V AC/50 Hz	015829	255,00

WITA Delta MAXI 80



Technical data see Product brochure high efficiency pumps page 20

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
80-25	GG	180	25	G 1 ½"	8	230V AC/50Hz	015630	257,00
80-32	GG	180	32	G 2"	8	230V AC/50Hz	015631	260,00

WITA Delta MAXI 80 PWM



Technical data see Product brochure high efficiency pumps page 20

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
80-25 PWM	GG	180	25	G 1 ½"	8	230V AC/50 Hz	015632	313,00
80-32 PWM	GG	180	32	G 2"	8	230V AC/50 Hz	015633	315,00

WITA Delta HE 75



Technical data see Product brochure high efficiency pumps page 21

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
75-25	GG	180	25	G 1 ½"	7,5	230V AC/50Hz	015550	498,00
75-32	GG	180	32	G 2"	7,5	230V AC/50Hz	015551	500,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta HE 75 PWM



Technical data see Product brochure high efficiency pumps [page 21](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
75-25 PWM	GG	180	25	G 1 ½"	7,5	230V AC/50 Hz	015552	553,00
75-32 PWM	GG	180	32	G 2"	7,5	230V AC/50 Hz	015553	555,00

WITA Delta HE 100



Technical data see Product brochure high efficiency pumps [page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
100-25	GG	180	25	G 1 ½"	10	230V AC/50Hz	015560	534,00
100-32	GG	180	32	G 2"	10	230V AC/50Hz	015561	537,00

WITA Delta HE 100 PWM



Technical data see Product brochure high efficiency pumps [page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
100-25 PWM	GG	180	25	G 1 ½"	10	230V AC/50 Hz	015562	590,00
100-32 PWM	GG	180	32	G 2"	10	230V AC/50 Hz	015563	592,00

WITA Delta HE 120



Technical data see Product brochure high efficiency pumps [page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
120-25	GG	180	25	G 1 ½"	12	230V AC/50Hz	015570	534,00
120-32	GG	180	32	G 2"	12	230V AC/50Hz	015571	537,00

WITA Delta HE 120 PWM



Technical data see Product brochure high efficiency pumps [page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
120-25 PWM	GG	180	25	G 1 ½"	12	230V AC/50 Hz	015572	590,00
120-32 PWM	GG	180	32	G 2"	12	230V AC/50 Hz	015573	592,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA Delta HE 75 F



Technical data see Product brochure high efficiency pumps [page 23](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
75 F40	GG	220	40	Flansch DN 40	7,5	230V AC/50Hz	015540	540,00
75 F50	GG	240	50	Flansch DN 50	7,5	230V AC/50Hz	015545	563,00

WITA Delta HE 75 F PWM



Technical data see Product brochure high efficiency pumps [page 23](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
75 F40 PWM	GG	220	40	Flansch DN 40	7,5	230V AC/50 Hz	015541	596,00
75 F50 PWM	GG	240	50	Flansch DN 50	7,5	230V AC/50 Hz	015546	618,00

WITA Delta HE 100 F



Technical data see Product brochure high efficiency pumps [page 24](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
100 F40	GG	220	40	Flansch DN 40	10	230V AC/50Hz	015565	576,00
100 F50	GG	240	50	Flansch DN 50	10	230V AC/50Hz	015566	600,00

WITA Delta HE 100 F PWM



Technical data see Product brochure high efficiency pumps [page 24](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
100 F40 PWM	GG	220	40	Flansch DN 40	10	230V AC/50 Hz	015567	632,00
100 F50 PWM	GG	240	50	Flansch DN 50	10	230V AC/50 Hz	015568	655,00

WITA Delta HE 120 F



Technical data see Product brochure high efficiency pumps [page 24](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
120 F40	GG	220	40	Flansch DN 40	12	230V AC/50Hz	015575	576,00
120 F50	GG	240	50	Flansch DN 50	12	230V AC/50Hz	015576	600,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta HE 120 F PWM



Technical data see Product brochure high efficiency pumps [page 24](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
120 F40 PWM	GG	220	40	Flansch DN 40	12	230V AC/50 Hz	015577	632,00
120 F50 PWM	GG	240	50	Flansch DN 50	12	230V AC/50 Hz	015578	655,00

WITA UPH 15



Technical data see Product brochure high efficiency pumps [page 25](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
15	CuZn	65	15	½" IG	1	230V AC/50Hz	020040	125,00

WITA UPH 20-KS



Technical data see Product brochure high efficiency pumps [page 25](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
20-KS	CuZn	110	20	1 ¼" AG	0,9	230V AC/50Hz	020041	146,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



General Terms and Conditions

Section 1 Scope

- (1) These conditions of sale shall only apply to companies, legal persons under public law or special funds under public law pursuant to Section 310 (1) of the German Civil Code (BGB). If the Purchaser's conditions contradict or deviate from our conditions of sale, we shall not recognise such contradictory or deviating conditions unless we expressly agree in writing to their application.
- (2) These conditions of sale shall also apply to all future transactions with the Purchaser, provided said future transactions are legal transactions of a similar nature (as a precaution, the conditions of sale must always be enclosed with the order confirmation).

Section 2 Offers and conclusion of the Agreement

If an order is to be viewed as an offer pursuant to Section 145 of the BGB, we may accept it within a period of two weeks.

Section 3 Transferred documents

We retain the ownership rights and copyright to all documents sent to the Purchaser in association with the granting of the order, e.g. calculations, drawings etc. These documents must not be made accessible to third parties unless we grant the Purchaser our express approval to do so in writing. If we do not accept the Purchaser's offer within the period specified under Section 2, these documents must be returned to us without delay.

Section 4 Prices and payment

- (1) Unless otherwise agreed in writing, our prices shall apply ex works, excluding packaging and plus VAT in its applicable amount. Packaging costs are invoiced separately.
- (2) The purchase price must be paid exclusively to the account detailed on the reverse. The application of any discount is only permitted with special written agreement.
- (3) Unless otherwise agreed, the purchase price must be paid within 30 days of invoicing. Default interest equal to 8% over the relevant basic interest rate per annum shall be applied (see Appendix 1). We reserve the right to assert higher damages caused by late payment.
- (4) If no fixed prices have been agreed, we reserve the right to make reasonable price adjustments due to changes in wage, material and distribution costs for delivery that take place three months or later after the conclusion of the Agreement.

Section 5 Compensation and rights of retention

The Purchaser is only entitled to compensation if its counterclaims have been determined to be legally binding or are undisputed. The Purchaser is only authorised to exercise a right of retention insofar as its counterclaim is based on the same contractual relationship.

Section 6 Delivery time

- (1) The start of the delivery time we specify requires the Purchaser to have met its obligations in a timely and proper manner. This does not affect the right to object to a non-fulfilled agreement.
- (2) Should the Purchaser be in default of acceptance or should it culpably violate other cooperation obligations, we shall be entitled to demand compensation for any damage we incur in this regard, including any additional expenses. This does not affect the right to make further claims. If there are any existing requirements, the risk of an accidental loss or an accidental deterioration of the item of purchase shall transfer to the Purchaser at the moment at which the Purchaser enters into default of acceptance or debtor's default.
- (3) In the event of any delay in delivery that is not the result of intent or gross negligence on our part, we shall be liable to the sum of 3% of the delivery value for each complete week of delay as part of the fixed compensation for delay. However, this liability shall not exceed 15% of the delivery value.
- (4) Any additional legal claims and rights of the Purchaser arising from delay in delivery shall remain unaffected.

Section 7 Transfer of risk upon dispatch

If the goods are sent to the Purchaser at its request, the risk of accidental loss or accidental deterioration of the goods shall transfer to the Purchaser when the goods are sent or, at the latest, when they leave the workshop/warehouse. This shall apply regardless of whether the goods are sent from the place of fulfilment or who is bearing the freight forwarding costs.

Section 8 Reservation of title

- (1) We reserve ownership to the delivered item until the complete payment of all receivables arising from the delivery agreement. This shall also apply for future deliveries, even if we do not consistently and expressly refer to this Agreement. We are entitled to take the purchase item back if the Purchaser acts in a manner contrary to the Agreement.
- (2) The Purchaser undertakes to treat the purchase item with care for as long as ownership has not transferred to the Purchaser. In particular, the Purchaser undertakes to sufficiently insure the purchase item against theft, fire and water damage, at the purchase item's original value and the Purchaser's own expense (note: only permitted when selling high-value goods). If maintenance and inspection work needs to be carried out, the Purchaser shall carry out such work at its own expense and in good time. Until ownership has been transferred, the Purchaser must inform us in writing without delay if the delivered object is seized or exposed to any other interference by third parties. If the third party in question is unable to reimburse

us for the legal and out-of-court costs of a claim pursuant to Section 771 of the German Code of Civil Procedure (ZPO), the Purchaser shall be liable for the loss we incur.

- (3) The Purchaser is entitled to resell the reserved goods in normal business transactions. The purchaser shall assign to us receivables from the resale of the reserved goods equal to the sum total of the invoice as agreed with us (including VAT). This assignment shall apply regardless of whether the purchase item has been resold without or after processing. The Purchaser shall remain authorised to collect the receivable even after the assignment. This does not affect our authorisation to collect the receivable ourselves. However, we will not collect the receivable if the Purchaser meets its payment obligations arising from the revenue received, is not in default of payment and, in particular, if no application has been made to launch insolvency proceedings or there is no suspension of payment (note: this clause shall not apply if no extended reservation of title is desired).
- (4) Any processing, treating and remodelling of the purchase item by the Purchaser shall always take place in our name and on our behalf. In such cases, the expectant right of the Purchaser to the purchase item shall be transferred to the remodelled item. If the purchase item is processed using other objects not belonging to us, we shall acquire co-ownership to the new item according to the ratio of the objective value of our purchase item to the other processed objects at the time of processing. The same shall apply in the event of mixing. If this mixing takes place in such a way that the Purchaser's item is to be viewed as the main item, it shall be considered agreed that the Purchaser shall transfer co-ownership to us on a pro rata basis and shall ensure the resulting sole ownership or co-ownership for us. In order to guarantee our receivables against the Purchaser, the Purchaser shall also assign to us any receivables that arise as a result of connecting the reserved goods with the property against a third party; we already accept this assignment.
- (5) We undertake to release the securities to which we are entitled at the request of the Purchaser if their value exceeds the receivables to be secured by more than 20%.

Section 9 Warranty, notification of defects and recourse/manufacturer recourse

- (1) The warranty rights of the Purchaser require the Purchaser to have met the examination and notification obligations owed by it pursuant to Section 377 of the German Commercial Code (HGB).
- (2) Claims for defects become time-barred 12 months after the delivery of the goods we have delivered to our Purchaser (note: when selling used goods, the warranty period can be excluded completely). The aforementioned provisions shall not apply if the law pursuant to Section 438, Paragraph (1) no. 2 of the BGB (buildings and items for buildings), Section 479 (1) of the BGB (right of recourse) pursuant to Section 634a (1) of the BGB (building defects) prescribes longer periods of time as mandatory. Our approval must be obtained before returning the goods.
- (3) We take the utmost care when producing and handling our goods. Should a defect that already existed at the time of the transfer of risk nevertheless be discovered in the delivered goods, we shall repair the goods as we see fit or deliver replacement goods, subject to complaints being filed in good time. We shall always have the option of supplementary performance within a reasonable period of time. Rights of recourse shall remain unaffected by the aforementioned regulation, without restriction.
- (4) Should supplementary performance fail, the Purchaser may withdraw from the Agreement or reduce remuneration irrespective of any claims for damages.
- (5) Claims for defects do not exist in the case of merely insignificant deviations from the agreed quality, in the case of merely insignificant impact on usability, in the case of natural wear and tear, or in the case of wear in the event of damages that occur after the transfer of risk due to faulty building work, unsuitable building plots or special external influences that are not provided for under the Agreement. If repair works or modifications are performed improperly by the Purchaser or third parties, no claims for defects shall exist for these works or the resulting consequences.
- (6) All claims on the part of the Purchaser to the expenses necessary for the purpose of supplementary performance, in particular transportation, road, work and material costs, are excluded in situations where the expenses increase as a result of the goods we deliver being delivered to a location other than the branch of the Purchaser, unless said delivery complies with intended use.
- (7) The Purchaser's rights of recourse against us only exist insofar as the Purchaser has not made any agreements with its own purchaser that go beyond the legally mandatory claims for defects. Paragraph 6 shall continue to apply accordingly for the scope of the Purchaser's rights of recourse.

Section 10 Miscellaneous

- (1) This Agreement and the overall legal relationships of the parties are subject to the law of the Federal Republic of Germany in exclusion of the UN Sales Convention.
- (2) Unless otherwise specified in the order confirmation, the place of fulfilment and exclusive jurisdiction for all disputes arising from this Agreement shall be our business headquarters.
- (3) All agreements made between the parties in order to execute this Agreement must be put in writing in this Agreement.
- (4) Should individual provisions of this Agreement be or become ineffective or contain a loophole, the remaining provisions shall remain hereby unaffected. In place of the ineffective regulation, the parties undertake to make a legally permissible regulation that comes closest to the economic purpose of the ineffective regulation, or to close the loophole.

The price list is valid from 01.04.2019

Previous price lists and prices in catalogs lose their validity. All prices are indicative sales prices, exclusive VAT. The terms of delivery and payment of company WITA apply. Production-related deviations in dimensions and designs as well as technical changes and errors excepted.

Terms of payment:

Within 8 days from date of invoice less 3% discount or 30 days without deduction.

Terms of delivery domestic: Invoice amounts up to net 500, - Euro ex works, over 500, - Euro free delivery.

Delivery conditions abroad: Invoice amounts up to net 500, - Euro ex works, over 500, - Euro free to German border.

ONLY ORIGINAL WITH THE DIAMOND



HEL-WITA Sp. z o.o.

Zielonka, ul. Biznesowa 22 | 86-005 Białe Błota
phone: + 52 564 09 00 | fax: + 52 564 09 22
www.wita.pl | info@wita.pl